## In the Claims:

Please amend the claims as follows:

5

15

30

) (ORIGINAL)
An RF Karaoke data receiving pack comprising:

an RF receiver for receiving a voice signal and data signal radio-transmitted from a wireless 10 microphone device via a receiving antenna;

a demodulator for demodulating the signal applied thereto from the RF receiver;

an audio/key data separator for separating the voice signal and key data signal from the signal demodulated by the demodulator;

a waveform shaping unit for shaving the waveform of the key data signal;

an A/D converter for converting the voice signal into a digital signal;

20 a receiver MCU connected to an external computing having a computing function and processing function, the receiver MCU controlling the internal operation of the RF Karaoke data signal receiving pack while transmitting the digital voice signal and key data signal to the external computing 25 device;

a serial communication interface transmitting the digital voice signal and key data signal external computing device under the control of receiver MCU; and

an extension pack in which additional songs are recorded, the extension pack being connected to an

extension pack slot to transmit data of the additional 5 songs under the control of the receiver MCU.

2. The RF Karaoke data receiving pack claimed in claim 1, wherein the serial communication interface transmits or receives signals in a wired or wireless manner using one of a USB drive, laser transceiver and an transceiver, a infrared transceiver.

- 3. The RF Karaoke data receiving pack claimed in claim 1, wherein the external computing 15 device comprises an X-box game device.
  - 4. The RF Karacke data receiving pack claimed in claim 1, wherein the external computing device comprises the main body of a personal computer.

20

30

10

5. The RF Karaoke data receiving pack claimed in any one of claims 1 to 4, wherein the extension pack comprises:

a housing forming the body of the extension pack;

an antenna wire fixed inside the housing along the 25 edge of the housing, the antenna wire capturing an RF signal and transmitting the captured RF signal;

an RF signal receiving pack for demodulating the signal transmitted from the wireless microphone device and captured by the antenna wire and separating a song data signal from the RF signal;

a male connector for a receiving module, the male

connector being electrically connected to an output signal line of the RF signal receiving pack and protruded from one side of the housing 282 such that the male connector is connected to the extension slot under the control of the receiver MCU; and

a plurality of storage packs fitted in the housing, 10 for storing data of new sengs and outputting the data.

## 6. The Karaoke system comprising:

a wireless microphone device for modulating key data signal generated from various keys including numeral keys used for selecting a song and accompaniment keys and a user's voice signal and radiotransmitting the modulated key data signal and voice signal;

an external computing device including a 20 computing function, a serial communication interface and a sound processing function, the external computing device being the subject of the operation of the Karaoke system;

an RF Karaoke system data receiving pack for receiving the voice signal and key data signal from the wireless microphone device, demodulating the received voice signal and key data signal and transmitting the demodulated voice signal and key data signal to the external computing device via the serial communication interface;

an optical disk for storing a Karaoke system operating program executed and read by the external

computing device, song data and background image data; and

5

an audio device connected to the external computing device through a connector for reproducing an audio signal provided by the external computing device.

7. The Karaoke system as claimed in claim 6, wherein the serial communication interface comprises a USB interface.

8. The Karaoke system as claimed in claim 6 or 15 -7, wherein the optical disk comprises a DVD-ROM.